

CLANCIARA, J.

TECHNOLOGY

Periodicals: WORMIAZACJA. Vol. 26, No. 6/7, June/July 1958.

CLANCIARA, J. A discussion of the draft of Standard

PR/P-82039 "Cotton Bedding Textiles." P. 318.

Monthly List of East European Accessions (EMAI) LC, Vol. 8, No. 2,

February 1959, Unclass.

GIANCIARA, Kazimierz, mgr inz.

Remarks on the article: "Repair of Traction Engines at the  
Railroad Rolling Stock Repair Shops in Minsk Mazowiecki."  
Przegl kolej mechan 13 no.2 49-50 F '61.

CIAS. B.

Future possibilities of the use of magnetophones and television  
in railroad traffic. p. 63. ZELEZICAR. (Ministerstvo dopravy)  
Praha. Vol. 6, No. 3, Mar. 1956

SOURCE: East European Accessions List. (EEAL)  
Library of Congress Vol. 4, No. 12,  
December 1956

CIAS N.,

JAKOSZ STALI (BRABIANEJ CIEPLNIE (THE TYPE OF STEEL FASHIONED WHILE HOT).  
Wydawnictwo Gorniczo-Hutnicze, 1953,

75 p.

CIAS, s.,

O METALURGICZNEJ JAKOSCI STALI. (ON THE METALLURGICAL QUALITIES OF STEEL).  
Wydawnictwo Gorniczo-Hutnicze, 1955,

109 p.

3'95, W

M ✓ 8274° New Device for Magnetometric Examination of the Kinetic Energy of Martensite Transformation in Steel at Temperatures Below the Temperature of the Surrounding Medium.  
Nowy przyrząd do magnetycznego badania energii kinetycznej przemiany martensytycznej w stalach przy chłodzeniu w zakresie poniżej temperatury otoczenia. (Polish.) W. Ciaś, Proc. Impulsów Materiały i Metody, v. 8, no. 1, 1955, p. 1-18.

Measurement of magnetic saturation of test specimens which increase with the growth of the ferromagnetic phase (martensite). Graphs, diagrams, photographs, micrographs. 57 ref.

2/

(1)

*CIA S.W.*

Distr: LE2c

Effect of heat treatment below the temperature  $A_1$  upon the properties of low-carbon steel for boiler sheets. *[Signature]* W.  
C. I. P. R.ace Inst. Brno, 10, 95-108(1958).—The tests were run with thick boiler sheets from 15 heats of rimmed steel, killed steel, and steel made aging-resistant after cold-

working. The effects of heating below the temp.  $A_1$  and of  $H_2O$  cooling upon the bending tests and mech. properties were investigated, also how temp. and aging treatment after  $H_2O$  cooling affects the mech. properties, and how steel has a tendency to age after cold working. It was found that aging after  $H_2O$  cooling and aging after cold-working differ in this respect, that at higher temps. in material treated in the first way of aging, some of the original properties will be recovered; whereas the latter kind of aging causes the acquired properties to be kept permanently. It is concluded that aging of the construction material after size reduction is dangerous for steel boilers. If steel sheets have been quenched from a temp. below the  $A_1$  point, the bending test as an acceptance test for suitability for boiler sheets is meaningless.

*Werner Jacobson*

*RL Adp*

CIASTON, Wladyslaw; KULIKOWSKI, Jacek; MAKOLAGWA, Stefan

Properties of certain Polish indigenous ferrites with orthogonal  
hysteresis loop. Przegl elektroniki 3 no.7:419-431 Jl '62.

1. Zaklad Aparatow Matematycznych i WBR Zakladu Materialow  
Magnetycznych, Warszawa.

Glaston, Stanislav, MFR Eng.

Electronization is a new fundamental development trend in military engineering. Russk. techn. 86 no. 13:7 p1-p6 p65.

NOWOGAŁD, Kazimierz; NOLIS, Jadwiga; RORACZYNIAK, Gabriela;  
CIĄSTON-MALOLEPSZA, Weronika; RĘGIŁ, Irena; BARON, Adam

Treatment of neonatal hemolytic disease by means of exchange  
blood transfusions in the past 15 years (1949-1964). Ginek.  
Pol. 36 no.8:847-852 Ag '65.

I. Kliniki Położnictwa i Chorób Kobiecych Akademii Medycznej  
we Wrocławiu (Kierownik: prof. dr. med. K. Nowogąłd).

NOWOSAD, Kazimierz; HEIMRATH, Tadeusz; NOLISOWA, Jadwiga;  
CIASTON-MALOLEPSZA Veronika

Role of listeriosis in pregnancy complications and its spreading  
in wards for newborn infants. Ginek. Pol. 36 no.8:939-944 Ag '64.

1. Z I Kliniki Położnictwa i Chorób Kobiecych Akademii Medycznej  
we Wrocławiu (Kierownik: prof. dr. med. K. Nowosad).

CIASTON, Wladyslaw; KULIKOWSKI, Jacek; MAKOLAGWA, Stefan

Mn-Mg-Cd ferrites with rectangular histeresis loop. Zakl  
apar matem prace no. B9: 1-8 '61.

CIASTON, Wladyslaw; KULIKOWSKI, Jacek; MAKOLAGWA, Stefan

Mn-Mg-Zn ferrites with square hysteresis loop and small Hc. Przegl  
elektroniki 3 no.9:545-549 S '62.

1. ZAM Polska Akademia Nauk, Warszawa (for Ciaston). 2. WER  
Polfer, Warszawa (for Kulikowski and Makolagwa).

41005

24,2200

S/058/62/000/009/028/069  
A006/A101

AUTHORS: Ciastón, Władysław, Kulikovski, Jacek, Makolagwa, Stefan

TITLE: Mn-Mg-Zn ferrites with almost rectangular hysteresis loop and low coercive force  $H_c$

PERIODICAL: Referativnyy zhurnal, Fizika, no. 9, 1962, 40, abstract 9E285  
("Prace zakł. apar. mat. PAN", 1961, v. B, no. 8, 9 s., ill., Polish)

TEXT: The authors investigated ferrites of the Mn-Zn-Fe-O system described by general formula  $Mn_zZn_yFe_xO_4+\gamma$ , where  $1.2 \leq x \leq 2.0$  and  $0 \leq y \leq 0.4$ . One of these ferrites has a relatively high rectangularity of the hysteresis loop and low coercive force  $H_c$ ; into this ferrite some MgO was introduced with the aid of a special-developed method; the MgO amount replaced proportionally all the other components. Most detailed investigations were made with ferrites of system  $(MgO)_x(Mn_{0.6}Zn_{0.4}Fe_2O_4)_{1-0.5x}$  at  $0 \leq x \leq 0.4$ . In materials of this system the coefficient of rectangularity of the hysteresis loop attains values of  $S > 0.9$  and  $H_c$  of about 0.3 oersted. They can therefore be used as cores in computer storage systems.

[Abstracter's note: Complete translation]  
Card 1/1

24.2200

S/196/62/000/018/004/017  
E194/E155

AUTHORS: Ciastan, Władysław, Kulikowski, Jacek, and  
Makolagwa, Stefan

TITLE: Ferrites of almost rectangular hysteresis loop and  
low values of  $H_{sat}$

PERIODICAL: Referativnyy zhurnal, Elektrotehnika i energetika,  
no.18, 1962, 3, abstract 18 B 15. (Prace zakl. apar.  
mat. PAN, B, no.8, 1961, 9 s., il.) (Polish).

TEXT: Ferrites of the system Mn-Zn-Fe-O, having the general  
formula  $Mn_z Zn_y Fe_x O_{4+\gamma}$ , were investigated in the range  $1.2 \leq x \leq 2.0$   
and  $0 \leq y \leq 0.4$ . Selected formulations and manufacturing  
procedures ensured an almost rectangular hysteresis loop  
( $S_{max} \geq 0.9$ ) and low value of  $H_{sat}$  ( $\sim 0.3$  oersted approximately).  
MgO was introduced into the formula at the expense of other  
components. Cores of this material were used, for example, in  
memory units of computers.

Card 1/1 [Abstractor's note: Complete translation.] ✓

24-2200,

41079

S/058/62/000/008/091/134  
A062/A101

AUTHORS: Ciastof, W., Kulinowski, J., Makolagwa, S.

TITLE: Mn-Mg-Cd ferrites having rectangular hysteresis loops

PERIODICAL: Referativnyy zhurnal, Fizika, no. 8, 1962, 36, abstract 8E262  
("Prace zakł. apar. mat. PAN", 1961, B, no. 9, 8s., il., Polish;  
summary in English)

TEXT: An investigation was made of the magnetic properties of the Mn-Mg-Cd-Fe-O system which may be described by the general formula  $M_2Cd_yFe_xO_{4+y}$ ,  $1.4 \leq x \leq 2.2$ ;  $0 \leq y \leq 0.9$ . These ferrites are ranged in the class of magnetically soft materials. The addition therein of a certain quantity of MgO converts them into materials with rectangular hysteresis loops. Likewise the coercive force and the hysteresis loop shape of the  $(MgO)_x(Mn_{0.6}Cd_{0.4}Fe_2O_4)_{1-0.5x}$  system, wherein  $0 \leq x \leq 0.4$ , were investigated. It was found that for any values of  $x$  in the investigated range of MgO concentrations the coercive force of these materials is < 0.2 oersted. The rectangularity of the hysteresis loop  $S$  varies in dependence of the quantity of  $Mg^{2+}$  ions in the solution;  $S_{max} > 0.9$ .

[Abstracter's note: Complete translation]  
Card 1/1

4.25-71

L1679  
P/053/62/000/009/002/003  
D271/D308

AUTHORS: Ciastom, Jadyslaw, Kulikowski, Jacek and Makolagwa, Stefan

TITLE: Mn-Mg-Zn square loop ferrites with low H<sub>C</sub>

PERIODICAL: Przeglad elektroniki, no. 9, 1962, 545-549.

TEXT: The development of square loop ferrites with low coercive force is reported. In the temperature range of 1280° - 1360°C the samples were sintered in air, at higher temperatures - in oxygen in order to prevent reduction to Fe<sup>2+</sup>. The samples were water quenched for chemical analysis, and cooled in vacuum or argon when intended for electrical tests. The Mn-Zn ferrite was taken as the basis of development, and squareness ratio and coercive force characteristics are shown for a range of compositions corresponding to the formula Mn<sub>y</sub>Zn<sub>x</sub>Fe<sub>3-(x+y)</sub>O<sub>4±γ</sub>; x was varied in experiments between 0 and 0.4, Fe content - between 35 and 50% mol, with corresponding variations in Zn content. On the basis of the above preliminary work, the composition of 50% Fe, 20% Zn and 30% Mn was chosen. Card 1/2

Mn-Mg-Zn square loop ferrites ...

P/035/62/000/009/002/003  
D271/D303

as the starting point. MgO was added to it in varying proportions, at the proportional expense of remaining components. The influence of MgO is shown in characteristics of the squareness ratio and coercive force, in the range of  $\delta = 0 - 0.6$  in the formula  $(\text{MgO}) \delta (\text{Mn}_{0.6}\text{Zn}_{0.4}\text{Fe}_2\text{O}_4)_{1-0.58}$ . It was found that  $\delta = 0.4$  gives optimal results when cores are sintered in oxygen at  $1400^{\circ}\text{C}$ . Squareness ratios greater than 0.9 and coercive force lower than 0.3 oersted were obtained. Further improvement is expected by better control of primary materials and a less abrupt transition from oxygen atmosphere used in sintering to fully neutral atmosphere applied in cooling. The development of usable material was accelerated by the choice of Fe-Mn-Zn ferrite as the basis to which MgO was added. A. Bragiński is thanked for supervision of the work. There are 5 figures.

ASSOCIATION: ZAM PAN (ZAM PAS) (W. Ciastoń) WBR, 'Polfer' (J. Kulikowski and S. Makolagwa)

Card 2/2

L3832

P/053/62/000/007/004/004  
I010/I242

27.12.2000

AUTHORS: Ciałostoi, Władysław, Kulikowski, Jacek, and  
Makolągwa, Stefan

TITLE: Properties of some Polish ferrites with a square  
hysteresis loop

PERIODICAL: Przegląd Elektroniki, no.7, 1962, 419-430

TEXT: Polish ferrites developed by "Polfer" and by the Zakład Aparatów Matematycznych (Department of Mathematical Apparatus) are comparable to those produced abroad. The static hysteresis loop parameters in three types of Polish ferrites R-1, R-2, R-3 were measured using 10x6x6 mm ring samples. The dynamic parameters of the cores are listed. The static characteristics show a similar characteristics show a similar B for all three types but their loop

Card 1/2

P/053/62/000/007/004/004  
I010/I242

Properties of some Polish ferrites...

width and the  $H_m$  for the maximum squareness factor S are different. No material with  $H_c \approx 1.5 - 2.0$  oersteds was found. Dynamically, the R-2 has a very low  $H_m$  opt at which  $U_s$  reaches its maximum. Its drawback consists of a long  $\tau$  (3  $\mu$ sec).  $U_z$ . The R-3 has  $\tau = 1.5 \mu$ sec but its  $H_m$  opt is 3 times higher. The R-1 has intermediate properties so that it is useful both for memory and switching circuits. The measurements proved that the R-2 may be used in automatics, tele-technical systems, ferractor systems of digital machines etc. and R-3 mainly in matrix coincidence memories. The shortest switching time obtained with the R-3 cores is still too long for application in fast computers. Faster elements are being developed. There are 12 figures and 1 table.

ASSOCIATION: Zakłady Aparatury Matematycznej i WBR Zakłady Materiałów Magnetycznych (Department of Mathematical Apparatus and WBR Department of Magnetic Materials)

Card 2/2

CIASTON, Wladyslaw, SZCZESNY, Zbigniew

Cores with rectangular histeresis loop coiled out of thin  
79 NM molybdenum permalloy tape of 0.003 mm. thickness.  
Prace inst masz mat 2 no. B-4 l-15 '63.

*CHAVORIANIDES, V. V.*

16 JUN 1968

70  
C

- Bucharest, Editura "Jurnalul," Vol XIV, No 5, May 62
1. "Productive Varieties of Hybridas," Professor N. JOSAN, pp 3-4.
  2. "Machines for High Farm Yields," LIVIU GAFILOIU, Coordinator of Technical Sciences and Scientific Division of the ICRU (Institutul de Cercetari Prinsele Mecanizare Agricole), p 4.
  3. "Production Livestock Breeds," DRGR. Z. MARIN, scientist, 1st Secretary of the ICRU (Institutul de Cercetari Prinsele Mecanizare Agricole), pp 6-7.
  4. "Wiseversde and Orchards on Frood Soils," Professor DR. H. MELCU, p 5.
  5. "SPECIAL Soifiers Manufactured in Rumania," Engr. V. DR. KIRIU, pp 8-9.
  6. "The Herdbook of Cows," I. CIURLI, physiologist, and engineer S. GHOCIKIN, pp 9-11.
  7. "Plastic Valve Protheses in Heart Surgery," Dr. Mihail POPESCU, Clinical Hospital (Spinal Clinic) in Bucharest, pp 12-13.
  8. "A Few Words about Lacquers and Paints," Engr. Margareta POPESCU, pp 13-15.
  9. "The Model of a Live Cell," V. T. CHAVORIANIDES, Director of the Institute of Cybernetics (Institutul de Calculatoare si Calculatoare) of the Romanian Academy of Sciences (Academia Romana), pp 15-17.
  10. "Basic Science," Engr. Alexandru BESZEDY, pp 18-19.
  11. "Notes from the Entire World" [briefs], pp 20-21.
  12. "The Maya Hieroglyphs Are Deciphered," Foster MILLER, pp 22-23.
  13. "Fascist -- The Zootechnical Combine," Dr Ion SIMIONCU, Institute of Astronomy (Institutul Astronomic), Bucharest, pp 22-23.

— 1/2 —

CIAVCIANIDZE, V.V.; KVINI HIDZE, K.S., cercetator

The model of the living cell. St si Teh Buc 14 no.5:16-17  
My '62

1. Director of the Institute of Cybernetics, Academy of Sciences,  
Gruziya U.S.S.R. (for Ciavcianidze).

CIAWLOWSKI, K.

For a real rationalization. p.309  
(PRZEGLAD SKORZANY, Vol. 11, No. 12, Dec. 1956, Lodz, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 9, Sept. 1957, Uncl.

CIAZKOWSKI, J.

The Permanent Exhibition of Building Techniques; a concise description on the occasion of the Nationwide Building Conference. p. 257.  
(INZYNIERIA I BUDOWNICTWO. Vol. 13, no. 6, June 1956, Warszawa, Poland)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, no. 12, Dec. 1957.  
Uncl.

CIBA, E.

CIBA, E. 1st Winter Spartakiad of the Voivodeship Administration of  
Township Cooperatives in Danzig. p. 3.

Vol. 9, no. 20, May 1956  
ROLNIK SPOLDZIELCA  
AGRICULTURE  
Poland

So: East European Accession, Vol. 6, No. 5, May 1957

EYCEPPTA MEDICA Sec 6 Vol 13/10 Internal Med Oct 50

6015. SULPHAEOMOGLOBINAEMIA - Sulphhemoglobinemia - Ciba T. and Szczepkowski T. W. I. Klin. Chor. Wewn. A. M., Kraków - POL. TYG. LEK. 1958, 13/26 (988-991) Graphs 1

Sulphaemoglobininaemia developing as a result of an excessive consumption of 'cafecide', a preparation containing phenacetin, was observed. In the patient's blood a considerable SHb level was found. This dye disappeared from the blood after the 'cafecide' administration had ceased, and the subjective and objective condition of the patient returned to normal. Diagnosis, pathogenesis and significance of sulphaemoglobininaemia are described. A method of determining SHb in blood is reported.

KROL, Wladyslaw; CIBA, Tadeusz; MIKULOWSKI, Pawel

Clinical value of serum turbidity in patients with Sheehan's syndrome. Polski tygod. lek. 14 no.44:1940-1944 2 Nov 59.

l. (Z I Kliniki Chorob Wewnętrznych A. M. w Krakowie; kierownik: prof. dr Leon Tochowicz i z Zakładu Anatomii Patologicznej A. M. w Krakowie; kierownik: prof. dr Janina Kowalczykowa).  
(PITUITARY GLAND, dis.)

GABRYELSKI, Wladyslaw; CIBA, Tadeusz

Total and free cholesterol level in the serum in normal subjects  
with special reference to the age and sex. Polski tygod.lek. 15  
no.12:417-421 21 Mr '60.

1. Z I Kliniki Chorob Wewnętrznych A.M. w Krakowie; kierownik:  
prof.dr Leon Tochowicz i z Katedry Statystyki W.S.E. Kierownik:  
prof.dr J. Fierich.  
(CHOLESTEROL blood)

KROL, Wladyslaw, CIBA, Tadeusz

Anterior lobe of the pituitary and fat metabolism. Polski tygod.  
lek. 15 no. 23: 857-859 6 Je '60.

1. Z I Kliniki Chorob Wewnetrznych A.M. w Krakowie; kierownik:  
prof. dr Leon Tochowicz.  
(PITUITARY GLAND dis.)  
(LIPIDS blood)

TOCHOWICZ, L.; KROL,W.; CIBA, T.; KOCEMBA, J.; SZOPINSKA, L.

Effect of nutrition on the cholesterol level and turbidity of the blood serum. Polskie arch.med. wewn. 30 no.7:881-883 '60.

1. Z I Kliniki Chorob Wewnętrznych A.M. w Krakowie Kierownik:  
prof. dr med. L.Tochowicz Opracowanie statystyczne: J.Czyzynski  
z Katedry Statystyki W.S.E. Kierownik: prof. dr J.Fierich  
(CHOLESTEROL in blood)  
(DIET exper)

TOCHOWICZ, Leon; SZOPINSKA, Lidia; CIBA, Tadeusz

Behavior of glycemic curves in atherosclerotic patients after glucose load. Polskie arch.med.wewn. 30 no.7:932-934 '60.

1. Z I Kliniki Chorob Wewnętrznych A. M. w Krakowie Kierownik:  
prof. dr med. L. Tochowicz  
(ARTERIOSCLEROSIS blood)  
(BLOOD SUGAR)

KROL, Wladyslaw; CIBA, Tadeusz

Effect of the anterior lobe of the pituitary on fat metabolism.  
Polskie arch.med.wewn. 30 no.7:934-936 '60.

1. Z I Kliniki Chorob Wewnetrznych A.M. w Krakowie Kierownik:  
prof. dr med. L.Tochowicz  
(PITUITARY GLAND dis.)  
(LIPIDS blood)

TOCHOWICZ, Leon; SZOPINSKA-CIBA, Lidia; CIBA, Tadeusz

Sugar curves in patients with atherosclerosis. Polski tygod. lek.  
16 no.20:746-749 15 My '61.

1. Z I Kliniki Chorob Wewnętrznych A.M. w Krakowie; kierownik:  
prof. dr Leon Tochowicz.

(ARTERIOSCLEROSIS blood) (BLOOD SUGAR)

MAREK, Zdzislaw; JAEGERMANN, Kazimierz; CIBA, Tadeusz

Atheromatosis and blood cholesterol level in autopsy studies.  
Polski tygod. lek. 16 no.23:864-869 5 Je '61.

1. Z Zakladu Medycyny Sadowej A. M. w Krakowie; kierownik: prof.  
dr nauk med. Jan Olbrycht i z I Kliniki Chorob Wewnetrznych A.M.  
w Krakowie; kierownik: prof. dr Leon Tochowicz.

(ARTERIOSCLEROSIS blood) (CHOLESTEROL blood)

TOCHOWICZ, Leon; CIBA, Tadeusz; KOCEMBA, Jozef; SZOPINSKA-CIBA, Lidia

Seasonal variability of the cholesterol level in the blood serum.  
Pol. tyg. lek. 17 no.16:587-592 16 Ap '62.

1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie; kierownik: prof. dr  
Leon Tochowicz.

(CHOLESTEROL blood) (WEATHER) (PERIODICITY)

CIBA, Tadeusz

Uric acid level in the blood serum and its evaluation in the diagnosis  
of arteriosclerosis. Pol. tyg. lek. 17 no.21:821-824 21 My '62.

l. Z I Kliniki Chorob Wewnętrznych AM w Krakowie; kierownik: prof.  
dr Leon Tochowicz.

(ARTERIOSCLEROSIS blood)  
(URIC ACID blood)

POLAND

CIRBA, Tadeusz and KROL, Wladyslaw; First Clinic of Internal Diseases (I Klinika Chorob Wewnętrznych), AM [Akademia Medyczna -- Medical School] in Krakow, Director: Prof Dr. Leon TOCHOWICZ.

"Primary and Secondary Hypothyreosis"

Warsaw, Polski Tygodnik Lekarski, Vol XVIII, No 8, 18 Feb 1963, pp 296-298

Abstract: Authors' English summary modified Two groups of patients are reported. One of them consisted of persons with primary hypothyreosis, the other of patients with secondary hypothyreosis due to insufficiency of the anterior lobe of the hypophysis caused by labor. The differences noted in the history of clinical examination and laboratory tests between those two groups are mentioned. Attention is drawn to the  $I^{131}$  uptake by the thyroid gland after the administration of T.S.H. as a very important diagnostic test in

1/2

KROL, Wladyslaw; CIBA, Tadeusz; KOCEMBA, Jozef; SZOPINSKA-CIBA, Lidia;  
TOCHOWICZ, Leon

Effect of diet on the turbidity of the blood serum. Pol. tyg.  
lek. 18 no.40:1473-1478 30' S '63.

1. Z I Kliniki Chorob Wewnętrznych AM w Krakowie; kierownik:  
prof. dr Leon Tochowicz.

(BLOOD CHOLESTEROL) (BLOOD LIPIDS)  
(BLOOD CHEMICAL ANALYSIS)  
(OCCUPATIONS AND PROFESSIONS)  
(ARTERIOSCLEROSIS) (STATISTICS)  
(DIET)

CIBA, Tadeusz; KOCEMBA, Jozef; KROL, Wladyslaw; SZOPINSKA-CIBA, Lidia;  
TOCHOWICZ, Leon.

Effect of nutrition on the total cholesterol level in the blood  
serum. Pol. tyg. lek. 18 no.45:1675-1679 4 N°63.

1. Z I Kliniki Chorob Wewnętrznych AM w Krakowie. Kierownik:  
prof.dr. Leon Tochowicz.

CIBA, Tadeusz

Metabolic disorders in arteriosclerosis. I. Total cholesterol level and nutritional lipemia. Pol. arch.med.wewnet. 34 no.3: 257-263 '64

1. Z I Kliniki Chorob Wewnętrznych AM w Krakowie; kierownik: prof.dr.med. L.Tochowicz.

\*

CIBA, Tadeusz; KROL, Wladyslaw

Glinski-Simmonds syndrome following hemorrhage of the digestive system. Pol. tyg.lek. 18 no.50:1896-1899 9 D'63

1. Z I Kliniki Chorob Wewnetrznych AM w Krakowie; kierownik:  
prof.dr. Leon Tochowicz.

\*

SARNECKA-KELLER, Maria; NOWORYTKO, Jadwiga; CIBA, Tadeusz; KOS, Stanislawa

Nitrogen and sulfur metabolites in the urine in cystinuria.  
Pol. tyg. lek. 19 no.35:1333-1334 31 Ag '64.

1. Z Zakladu Chemii Fizjologicznej Akademii Medycznej w  
Krakowie: (kierownik: prof. dr Boleslaw Skarzynski [deceased])  
i z I Klinik Chorob Wewnetrznych Akademii Medycznej w Krakowie  
(kierownik: prof. dr Leon Tochowicz).

~~WANIECKA~~, KELLER, Maria; NOWORYTKO, Jadwiga; CIBA, Tadeusz; KOS, Stanisława

Effect of some amino acids and scorbic acid on the level of sulfur and nitrogen metabolites in the urine of cystinuria patients. Pol. tyg. lek. 19 no.49:1881-1883 7 D '64

1. Z Zakładu Chemii Fizjologicznej Akademii Medycznej w Krakowie (kierownik: prof. dr. Bolesław Skarzynski) i z II Kliniki Chorób Wewnętrznych Akademii Medycznej w Krakowie (kierownik: prof. dr. Leon Tochowicz).

CIBA, Tadeusz

Metabolic disorders in arteriosclerosis. II. Glycemic curves,  
and uric acid and serum protein level. Pol. arch. med. wewnet.  
34 no.6:683-690 '64

I. Z I Kliniki Chorob Wewnętrznych Akademii Medycznej w  
Krakowie (Kierownik: prof. dr. med. L. Tochowicz).

KROL, Wladyslaw; CIBA, Tadeusz

Value of the serum turbidity test in the diagnosis of pituitary  
and adrenal hypo- and hyperfunction. Pol. tyg. lek. 20 no.5:  
169-171 1 F'65.

1. Z I Kliniki Chorob Wewnętrznych Akademii Medycznej w Krakowie  
(kierownik: prof. dr. Leon Tocłowski).

CIBA, Tadeusz; WOJCIKIEWICZ, Olga; DUBIEL, Jerzy

Hyperosmolar diabetic coma. Wiad. lek. 18 no.11:949-952  
1 Je '65.

1. Z I Kliniki Chorob Wewnętrznych AM w Krakowie (Kierownik:  
prof. dr. L. Tochowicz).

SZYBINSKI, Zbigniew; CIBA, Tadeusz; PYZIK, Zbigniew; ZDANOWSKA, Krystyna

Hypertension and the indices of thyroid function in simple goiter  
and in hyperthyroidism. Pol. tyg. lek. 20 no.20:710-712 17 My '65.

l. Z I Kliniki Chorob Wewnętrznych AM w Krakowie (Kierownik: prof.  
dr. Leon Tochowicz) i z Wojewódzkiej Poradni Endokrynologicznej dla  
Dorosłych w Krakowie (Kierownik: dr. med. Tadeusz Ciba).

SZOPINSKA-CIBA, Lidia; WOJCIKIEWICZ, O.; CIBA, Tadeusz

Outpatient treatment of recently detected diabetes mellitus.  
Pol. tyg. lek. 20 no.22:808-809 31 My '65.

l. Z I Kliniki Chorob Wewnętrznych AM w Krakowie (Kierownik:  
prof. dr. Leon Tochowicz) i z Wojewódzkiej Poradni Cukrzycowej  
dla Dorosłych w Krakowie (Kierownik: dr. Lidia Szopinska-Ciba).

CIBA, Tadeusz; SZOPINSKA-CIBA, Lidia

Incidence of diabetes in hypertension. Pol. tyg. lek. 20 no.34:  
1284-1286 23 Ag '65.

1. Z I Kliniki Chorob Wewnętrznych AM w Krakowie (Kierownik:  
prof. dr. Leon Tochowicz).

CIESZYNSKI, Tadeusz; BORKOWSKI, Boguslaw

Alkaloids of the genus Thalictrum L. Pt.2. Acta Pol. pharm.  
22 no.3:265-269 '65.

1. Z Zakladu Farmacji Stosowanej Akademii Medycznej w Poznaniu  
(Kierownik: doc. dr. R. Adamski) i z Zakladu Farmakognozji  
Akademii Medycznej w Poznaniu (Kierownik: prof. dr. B. Borkowski).

CIBAL, V.; HOLINKA, M; PRAZAK, M.

"Differentiation of phases in metallographic etching." 1. Electrolytic etching  
with a controlled potential. In German. p. 9

COLLECTION OF CZECHOSLOVAK CHEMICAL COMMUNICATIONS, praha, Czechoslovakia,  
Vol 24, No. 1, Jan. 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 6, Sept. 59  
Unclassified

GIBERT, Jean

Removal of the kidney due to cancer of the renal parenchyma. Urol.  
polska no.11:137-140; discussion, p.140-154 1957.

1. Z Kliniki Urologicznej w Lyonie, pawilon v--Hopital Edouard Herriot  
Kierownik: prof. dr med. J. Gibert (Zestawila: M. Begou)  
(NEPHRECTOMY, in various dis.  
cancer of renal parenchyma, statist. (Pol))

CIRIANU, N.

Crust founding in the Steagul Rosu plant. p. 39  
METALURGIA SI CONSTRUCTIA DE MASINI, Vol. 8, No. 1, Jan. 1956, Rumania.

SO; East European Accessions List, L. of C., Vol. 5, No. 10, Oct. 1956.

COUNTRY : USSR M  
CATEGORY : Cultivated Plants. Medicinal. Essential Oil.  
Toxic.  
ABS. JOUR. : RZhBiol., No. 3, 1959, No. 11149  
AUTHOR : Cibinskaitė, J., Neniučė, E.  
INST. : Kaunas Medical Institute  
TITLE : Growing Mustard and The Use of Its Seeds in Lithuanian SSR.  
ORIG. PUB. : Nauchn. tr. stud. Kaunassk. med. in-t. Kaunas, 1957,  
107-112.  
ABSTRACT : In the seeds of Brassica nigra grown in the Botanical Garden, AS Lithuanian SSR, there was found 33.25% of fatty and 0.49% of essential oil, and in the seeds of Brassica juncea - 32.45 and 0.51% respectively. The spirit of mustard and the mustard paper did not fully meet the requirements of pharmacopeia with respect to the quality of the essential oil. It is pointed out that with better care, the seeds of the species studied will apparently be fit for medicinal purposes.

CARD: 1/1

CIBIRAS, P., kand. med. nauk; DAKTARAVICIENE, E., kand. med. nauk;  
JARZEMSKAS, J., kand. med. nauk [deceased]; JOCEVICIENE, A.,  
kand. med.nauk; KRIKSTOFAITIS, M., kand. med. nauk; NENISKIS,J.,  
kand. med. nauk; STEPONAITIENE, L., kand. med. nauk; SURKUS, J.,  
kand. med. nauk; SIIMANAS, S., kand. biolog. nauk; CEPULIS, St.,  
prof.; KUPCINSKAS, J., prof.; LASAS, Vl., prof.; SIDERAVICIUS,Br.,  
prof.; KANOPKA, E.,dots.; KVIKLYS, V.,dots.; LABANAUSKAS, K.,  
dots.; POLUKORDAS, H., dots.; BABUBLYS, P., doktor; GĄPEVICIUS,V.,  
doktor; MAKARIUNAS, P., doktor; PAKONAITIS, P., doktor; STUOKA.R.,  
doktor; SURGAILIS, H., doktor; PAULIUKONIENE, J., red.; ANAITIS,J.,  
tekhn. red.

[Health and diseases] Antrasis pataisytas leidimas. Vilnius,  
Valstybine politines ir moksline literaturo leidykla, 1961. 356 p.  
(MIRA 15:3)

(HYGIENE) (PATHOLOGY)

CIBIRAS, P., doc.

A fatal case of amebiasis complicated by multiple liver abscesses. Sveik. apsaug. 8 no.10:26-28 0'63.

1. Vilniaus Valst. V.Kapsuko v. universiteto Medicinos fakulteto infekciniu ligu katedra. (katedros vedėjas - doc. P. Cibiras, med. m. kand. R.Ptasekas) ir Respublikine Vilniaus klinine ligonine. (vyr.gyd. - V.Zygas).

\*

BERZINS, I.; VILDE, A.; CIBLIS, E.; PICA, A., red.

[Overall mechanization in cultivating corn] Kukuruzas  
audzesanas darbu kompleksa mehanizacija. 2. parstra-  
dats un papildinats izdevums. Riga, Latvijas Valsts  
izd-ba, 1964. 169 p. [In Latvian] (MIRA 18:1)

CIBOIT, J.

Additions to the study of thermal and chemical recovery of black lyes.

P. 231(Celuloza Si Hirtie. Vol. 5, no. 9, Sept. 1956, Bucuresti, Rumania)

Monthly Index of East European Accessions (FFAI) LC. Vol. 7, no. 2,  
February 1958

CIBOR, C.

Named Zwirko and Wigura.

P. 5, (Skrzklata Polska, Vol. 13, no. 40, Oct. 1957, Warszawa, Poland)

Monthly Index of East European Accessions (EEAJ) 1C. Vol. 7, no. 2,  
February 1958

CIBOR, J.

KULINICZ, W. MICHALCZEWSKI, W., CIBOR, J.: "How The Silos In Wierzbice Were Concreted"  
p. 91. (Przeglad Budowlany, Vol. 25, no. 3, Mar. 1953, Warszawa)

SO: Monthly List of East European Accessions, Vol. 3, No. 2,  
~~Accessions~~, Library of Congress, February, 1954, ~~1953~~, Unclassified

SZADOWSKA, Anna; CIBORSKA, Halina; DARZYNKIEWICZ-CZERNIK, Daniels

Pharmacological properties of some new esters of diphenylacetic acid. Acta Pol. pharm. 21 no.6:509-518 '64

1. Z Katedry i Zakladu Farmakologii Akademii Medycznej w Lodzi (p.o. kierownika Zakladu: dr. med. A. Szadowska; kurator Katedry: prof. dr. med. W. Musial).

CIBOROWSKI, Adolf, mgr inz.

Role of construction engineering in the preparation and realization  
of prospective city planning. Przegl tech 84 no.22:1,4 2 Je '63.

CIBOROWSKI,F.; GAJEWSKI, Z.

Logometers of resistance thermometers. Pt. 1. Classification of logometers. p.111,  
Vol. 15, no. 5, May 1955, WIADOMOSCI ELECTROTECHNICZNE  
SO:MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (EEAL),LC, Vol. 4, No. 9,  
Sept. 1955, Uncl.

CIBOROWSKI, F.

CIBOROWSKI, F. Logometers of resistance thermometers. Pt. 2. Failures of  
meters. p. 12f. Vol. 15, no. 6, June 1955. WIADOMOSCI ELECTROTECHNICZNE,  
Warszawa, Poland.

SOURCE: East European Accessions List (EEAL) LC VOL 5, No. 6 June 1956

CEBOROWSKI, F. GAJOWSKI, Z.

Reception and control of the feelers of resistance thermometers. p. 173,  
Wiadomosci Elektrotechniczne. (Stowarzyszenie Elektryków Polskich,  
Centralny Zarząd Energetyki, Centralny Zarząd Przemysłu Kablowego)  
Warszawa, Poland Vol. 15, no 8, 1955

Monthly list of East European Accessions (EEAI) LC, Vol./no. 2,  
Feb. 19<sup>60</sup>

Uncl.

FRANCISZEK

CIBOROWSKI

POLAND / Chemical Technology. - Checking and Measuring Devices. H-3  
Automatic Regulation. Chemical Products and Their  
Application. Part 1.

Abs Jour : Referat. Zhurnal Khimiya, No 4, 1956, 11646.

Author : Franciszek Ciborowski.

Inst : Not given.

Title : Influence of "Epitemperature" of Thermistors on Temperature Measuring.

Orig Pub : Pomiary, automat., kontrola, 1957, 3, No 3, 105 - 106.

Abstract : At the temperature measuring with resistance thermometers, the passing current heats the measuring resistance, in consequence of which the latter shows a higher temperature than that of the measured medium. The obtained temperature difference is called "epitemperatura" (ET) an it

Card 1/2

*CIBOROWSKI, F.*

POLAND / Chomical Technology, Chemical Products and Their  
Application. Instruments and Automation.

H-3

Abs Jour : Rof Zhur - Khimiya, No 5, 1959, No. 15687

Author : Ciborowski, F.

Inst : Not given

Title : Direct Current Compensators and Their Application

Orig Pub : Pomiary, automat., kontrola, 1957, 3, No 10, 392-396

Abstract : No abstract given

Card 1/1

CIBOROWSKI, Franciszek, mgr inz.

Remarks on thermocouple testing in industry. Pomiary  
9 no.2:49-51 F '63.

CIBOROWSKI, Franciszek, mgr inz.

Factors influencing the durability and stability of thermometric characteristics of industrial thermocouples. Pomiary 8 no.11:509~511 N '62.

CIBOROWSKI, Franciszek

New methods of temperature measuring. Pomiary 9 no.12:  
640 D '63.

CIBOROWSKI, J.

CA

The fundamentals of the fluidization process. Janusz Ciborowski. Przeglad Chem. 6, 164-72 (1948); cf. C. A. 43, 8214.---A glass column 30 mm. in diam. and 120 cm. long was used in the study of the process. A min. gas flow is necessary for the fluidization to take place. This crit. velocity for incompressible powders is independent of their amt. The flow friction is proportional to flow velocity and the amt. of powder. It is also proportional to particle diam. and d. Two phases can be distinguished in a fluidized system: a "dense" phase, whose concn. is const., and a "dilute" phase, showing a barometric effect. The shape of powder particles and the character of the surface are important factors in the fluidization process.  
Adam Sporyszekl

"APPROVED FOR RELEASE: 06/12/2000

CIA-RDP86-00513R000309210019-6

*But. abs.*

*BT to a. General*


*Application of dimensional analysis to chemical engineering.*  
J. Choryński (Przeg. chm., 1949, 6, 206-211).—A review.  
R. Trauscoz.

APPROVED FOR RELEASE: 06/12/2000

CIA-RDP86-00513R000309210019-6"

CP

A simple method of computation of equilibrium constants.  
Jozef Chomicki, Roczniki Chem. 23, 361-79(1949).—  
The "method" of "equil. const." was simplified by applying  
modern thermodynamics, statistical mechanics and spectral  
analysis. A new function  $\varphi = G_0/4.678 \times T$  is defined in  
which  $G_0$  is the free energy related to the new reference state,  
 $D_0$  the value of element, at 0°K., and  $H_0$  the zero enthalpy.  
If  $\varphi$  is known, the log of the equil. const. can be obtained by  
simple summation. The values of  $\varphi$  are calcd. and tabu-  
lated for 39 substances (S, O, H, N, Cl, OH, C<sub>6</sub>H<sub>6</sub>, S<sub>8</sub>, O<sub>2</sub>,  
H<sub>2</sub>, N<sub>2</sub>, Cl<sub>2</sub>, CH<sub>3</sub>CH<sub>3</sub>, CO<sub>2</sub>, N<sub>2</sub>O, CCl<sub>4</sub>, HCl, NO, CO, H<sub>2</sub>O,  
CH<sub>4</sub>, CO, H<sub>2</sub>S, CH<sub>3</sub>NO<sub>2</sub>, SO<sub>2</sub>, NH<sub>3</sub>, HCN, CH<sub>3</sub>CH<sub>2</sub>) in the  
range from 200 to 3000°K. The agreement between calcd.  
and exptl. values is satisfactory. S. N.



CA

Mass transfer in drying and air conditioning. J. Charnowski and K. Tuszynski. *Przegrod Chem.* 6(29), 849-854 (1980).—The results of mass transfer measurements in air drying and humidifying are reported. The humidifying process was carried out with aq. saline, in a vertical wetted-wall tower. The psychrometer technique was used for gaseous humidity determination. For air flow at normal pressure and room temp., the mass transfer coeff. for drying and humidifying can be expressed by a simple equation  $K_g = Rg^0.7/237$ , which is in good agreement with O'Millard's exptl. data (C.A. 62, 6845). The same equation is also valid for cond. aq. saline, provided the depression of H<sub>2</sub>O vapor pressure of the salt is taken into account in the calcn. of the mass transfer coeffs.  
Frank Conet

P.T.A.

SEARCHED INDEXED  
SERIALIZED FILED

S302 : 66 081

657  
Ciborowski, J. On Heat Transfer in the Fluidization Process.  
"O przemianach cieplnych w procesie fluidyzacji". Przemysl Chemiczny, No. 12, 1950, pp. 743-758, 11 figs., 8 tabs.

The characteristics of heat transfer and temperature distribution were studied in a small fluidized powder unit on which various finely divided solids were suspended in an upward flowing air stream. The upper portion of the fluidization unit was electrically heated and the lower portion was water-cooled. It was found that in general both the heat transfer coefficients and the transfer of heat within the fluidized bed increased with: 1) an increasing quantity of solid within the unit, 2) increasing size of particles, 3) increasing velocity. On the basis of obtained results it is possible to explain the mechanism of the upward movement of the solid and to explain the phenomena observed.

CP

Heat-transfer measurement in packed tubes J. Ciborowski and L. Lechniewicz. *Przemysl Chemiczny*, 7, 621-6 (1951).  
Heat-transfer measurements were carried out with air, CO<sub>2</sub>, and CH<sub>4</sub>, resp., by using 2 tubes packed with Rasching rings. When the modified Reynolds no. is 15-2000, the ratio of the heat-transfer coeff. in the empty tube to the coeff. in the packed tube is 3:6. This ratio decreases with increasing gas-flow velocity. Edward A. Ackermann

CIBOROWSKI, J.

1857

(2) 0v

631.242.3

Cibbrowski J., Młodzinski B. The Burning of Sulphides by the Fluidizing Method.

"O wypalaniu sterczków metodą fluidyzacji". Przemysł Chemiczny. No. 2, 1952, pp. 49-58, 8 figs., 10 tabs.

The results are described of burning Polish pyrites; the experiments were carried out in batches (—periodically) or continuously. The burning process can run smoothly with a very low coefficient of excess-air. By regulating the relation of pyrite and air, it is possible to obtain in the same apparatus gases of different percentage of SO<sub>2</sub>. Systematic measurement of the influence of such parameters as: air velocity, height of fluidized phase, diameters of powder particles and temperature of burning.

S1 CIBROWSKI, ✓

3

(2) Fuel

Fuel Abst.  
 Vol. 15 No. 4  
 Apr. 1954  
 Gasification

✓ 2029. GASIFICATION OF SOLID FUELS BY FLUIDIZATION. I.  
 Ciborowski, J. and Lesniwicz, L. (Przem. Chem. (Chem. Ind.), 1952, vol. 31, 501-508; abstr. in Chem. Abstr., 1953, vol. 47, 11698). Water gas is obtained by passing superheated steam ( $300^{\circ}$ ) through a layer of finely divided coke or coal at such a rate that fluidization occurs. The gas produced, together with steam, is passed through a cyclone at  $120-150^{\circ}$ , and then to a condenser, where the water vapour is condensed. The gas is filtered and collected in cylinders over a saturated solution of Glauber salt and 5% sulphuric acid. The process of fluidization is independent of the inner area of the grain, which is due to the pores. The extent of steam decomposition, expressed as a constant  $\varphi_1 = H_2/(H_2 + H_2O)$ , is inversely proportional to the velocity of steam flow. The velocity of gasification is independent of the rate of steam flow.  $\varphi_1$  increases with the amount of fuel in the reactor from  $6.2 \times 10^{-3}$  to  $4.3 \times 10^{-2}$ ; in the same manner the stoichiometric constant  $\varphi_3 = (CO + CO_2)/(H_2 + H_2O)$  changes. A change in the amount of fuel causes a change in the rate of the contact of the water vapour,  $\omega$ , with the fuel.  $\varphi_1$  is proportional to  $\omega$ , but is independent of the amount of material used (almost constant). The amount of gas produced is approximately proportional to the amount of fuel used.  $\varphi_2 = CO/(CO + CO_2)$  is constant. The best fluidization occurs at a mean particle diameter of  $3.7 \times 10^{-4}$  to  $2.1 \times 10^{-4}$  m. The rate of steam decomposition increases with increase of particle diameter to a diameter at which fluidization does not occur.

C.A.  
 5-11-54  
 040

CIBOROWSKI, J.

Polish Technical Abst.  
No. 4, 1953  
Chemistry and Chemical  
Technology

2457

Ciborowski J., Lesniewicz L. Gasification of Solid Fuels by Fluidisation.

662.747

O. zgazowaniu paliwa stałego w stanie fluidalnym.  
Przemysł Chemiczny. No. 11, 1952, pp. 501-508,  
No. 12, 1952, pp. 544-551, 29 figs., 6 tabs.  
The results are reported of experiments on solid  
fuel gasification (coke, black coal, semi-coke and  
charcoal) to obtain water gas by fluidising  
technology. The necessary heat was introduced  
through the walls of the fluidising column. The  
investigation covered the determination of the  
influence in the gasification kinetics of certain  
more important parameters (such as temperature,  
grain (particle) diameter, velocity, etc.).  
The results obtained provide some guiding principle  
experiments on a semi-technological scale.

CIBOROWSKI, J.

Fuel Abst.  
Vol. 15 No. 4  
Apr. 1954

Gaseous Fuels: Properties  
and Treatment

② Fuel

✓ 2850. DRYING GASES BY FLUIDIZATION. Ciborowski, J. and Rcszak, J. (Przem. Chem. (Chem. Ind.), 1952, vol. 31, (8), 244-252; abstr. in Chem. Abstr., 1953, vol. 47, 10197). The relations which exist in mass transfer between humid air and fine grained silica gel are investigated. Results obtained for batch operation make possible the calculation of mass transfer coefficients and the determination of their dependence on the several parameters of the process. An analogy was found between heat and mass transfer in the fluidized system. C.I.

CIBOROWSKI, J.

Polish Technical  
Abstracts  
No. 4, 1953  
Chemistry and  
Chemical Technology

2452

66.01/.04

\* Ciborowski J. Chemical Engineering. Part 2.

Inżynieria chemiczna. Cz. 2. Warszawa, 1953, PWT,  
16°, 233 pp., 89 figs., 21 tabs.

This part of the book deals with problems of thermal conductivity, heat radiation, the heating and cooling of liquids, boiling and condensation, and covers also the methods of computing heating and cooling surfaces.

AF  
9-14-54

ĆIBÓROWSKI, J.

Polish Technical  
Abstract  
No. 4, 1953  
Chemistry and  
Chemical Technology

2453

66.01

\* Ciborowski J. Chemical Engineering. Part 3

Inżynieria chemiczna. Cz. 3. Warszawa, 1953, PWT,  
16°, 370 pp., 221 figs., 9 tabs.

The problems of penetration of substances, distillation,  
rectification, absorption, extraction and drying practice.  
The book is the third volume of an extensive work which  
deals, in a thorough manner, with all problems involved in  
chemical engineering.

MF  
9-14-54

Ciborowski, J.

3

:812

601 142.011.97

Ciborowski J., Miodziński B. Burning Different Sulphides Using Fluid.

~~Chemical Technology~~


"O wypalaniu różnych siarczków metodą fluidyzacji". Przemyśl Chemiczny, No. 9, 1953, pp. 443-449, 10 figs., 12 tabs.

The results are given of burning by the fluidizing technique, flotation blende, pyritic dolomite, pyritic serpentine and pyrite containing mud. The influence is investigated of several parameters, such as air velocity, temperature and the height of the fluidizing column. By keeping a proper ratio of air to burned material, it was found possible to obtain, even from materials of very low sulphur content, gases of sufficient SO<sub>2</sub> concentration for industrial purposes.

CIBOROWSKI, J.

2

Burning different sulfides with a fluidizing technique.  
J. Ciepligradzki and B. Miodzinski. *Preczysc. Chem.*, 9,  
413-9 (1953) (English summary).—The results of burning  
hotation bleomite, sedimentary blende, pyritic dolomite, py-  
ritic serpentite, and pyrite contg. mud by using fluidizing  
technique have been given. Cases of sufficient SO<sub>3</sub> content  
were obtained by keeping the proper ratio of air to burned  
material. Intensive burning of the material started above  
the temp. 800°. With the fluidizing method, it is possible  
to burn material with low-S content to get good and eco-  
nomical results. Gene A. Wozny



CIBOROWSKI, J.; MLODZINSKI, B.; PFEFFER, A.

"Burning of Sulfides by the Fluidization Method on Pilot Plant Scale," P. 28.  
(PRZEGIŚL CHEMICZNY, Vol. 10, No. 1, Jan. 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4,  
No. 1, Jan. 1955 Uncl.

CIBOROWSKI, J.; CZARNOTA, T.

"Investigation of Calcination of Sodium Bicarbonate of Fluidization," P.81  
(PRZEMYSŁ CHEMICZNY, Vol. 10, No. 2, Feb. 1954, Warszawa, Poland)

SO; Monthly List of East European Acquisitions, (EEAL), LC, Vol. 4,  
No. 1, Jan. 1955 Uncl.

CIBOROWSKI, J.; MLODZINSKI, B.; ROSZAK, J.

"Fluidization Applied to Industry", p. 589, (PRZENYSL CHEMICZNY, Vol. 10, No. 12,  
Dec. 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (SEAL), LC, Vol. 4, No. 5, May  
1955, Uncl.

CBOROWSKI, J.

4151

60.001(021)

Clborowski J. Chemical Engineering, 2nd Ed.  
"Inżynieria chemiczna" Wyd. 2. Warszawa, 1955, PWT 16, 915 pp.  
615 figs., 70 tabs.

A full account of chemical engineering. Contains sections relating to general problems of the flow of liquids, filtration processes, heat conduction, heat radiation, heating and cooling of liquids, boiling and condensation, thermic and dynamic processes, penetration of mass, distillation and rectification, absorption, extraction, drying, and the remaining diffusion processes.

Ciborowski

3453

00.00 : 06.094.3 : 547.07 : 547.052.1.00

Czarnota T., Orlowski J., Ciborowski J. Catalytic Oxidation of Naphthalene to Phthalic Anhydride by Fluidisation.

"O kontaktowym utlenianiu nftalenu do bezwodnika stalowego metodą fluidyzacji", Przemysł Chemiczny, No. 6, 1955, pp. 295-301, 5 figs, 11 tabs.

An examination of the catalytic process of oxidizing naphthalene to phthalic anhydride by fluidisation on vanadium catalyst. Several catalysts on different carriers were investigated, with various content of vanadium pentoxide and different grain size, prepared by various methods; and a study made of the conditions of fluidisation of individual catalysts and their resistance to abrasion. A discussion is included over the influence of individual parameters of the process, including: temperature, time of contact, ratio of naphthalene to air, on the yield and purity of the product. The best results (ca 75% molar yield, purity ca 99% and feed rate of the catalyst up to 390 g naphthalene/litre of catalyst/hour) were obtained by using a melted catalyst of vanadium pentoxide on corundum. The principal advantage of the method, by comparison with the known processes with an immovable catalyst, consists in the possibility of applying a several times greater feed rate of catalyst and the high purity of phthalic anhydride obtained.

Chwal

3

PM  
Spiral

CIBOROWSKI, J.

"Inzynieria chemiczna" (Chemical engineering), by J. Ciborowski. Reported  
in New Books (Nowe Ksiazki), No. 13, July 1, 1955

CIBOROWSKI, J.

POLAND/Processes and Equipment for Chemical Industries-  
Processes and Apparatus for Chemical Technology.

K-1

Abs Jour : Ref Zhur - Khimiya, No 2, 1957, 6899

Author : Ciborowski, J.

Inst :

Title : Concerning the Analogies Between Fluidized and Multi-  
phase Single Component Systems

Orig Pub : Przem. chem., 1956, 12, No 2, 87-89

Abstract : No abstract.

Card 1/1

There is no clear analogy between systems and liquid states. Such analogy provides a basis for analysis of fluidized systems and is certain restricted in revealing the unknown properties. The fluidized system is considered a macropattern of a mol. system. P. [unclear]

JW.

CIBOROWSKI  
TSIBOROWSKY.

POLAND / Chemical Technology. Industrial Organic  
Synthesis.

H

Abs Jour: Ref Zhur-Khimiya, No 12, 1958, 40543.

Author : Tsiborowsky.

Inst : Not given.

Title : The Destructive Hydration of Thiophene On  
Cobalt Sulfide.

Orig Pub: Przem. chem., 1957, No 8, 457-458.

**Abstract:** The most economical method for removing thiophene (I) from technical benzene is based on the destructive hydration of I, usually at a high pressure and in the presence of catalysts (C) stable toward an action of sulfur compounds. The reaction can be carried out in the gas phase at normal pressure. However, sufficiently complete data concerning these methods is lacking, therefore, for

Card 1/3

19

CIBOROWSKI, J

820  
111

5541

Ciborowski, J. Fluidization.

"Fluidyzacja". Warszawa, 1957, PWT, 16°, 184 pp., figs., tabs.  
Theoretical fundamentals of the fluidization process and examples  
of its use in the chemical industry.

66.049

2

gj

CIBOROWSKI, J

SCIENCE

PERIODICAL: ROCZNIKI CHEMII, VOL.31, NO. 2, 1957

CIBOROWSKI, J. S. Bretsznajder's Zagadnienia projektowania przemyslu chemicznego. Tom 1. Matematyczno-fizyczne metody projektowania (Planning Problems in the Chemical Industry. Vol. 1. Mathematical and Physical Methods of Planning); a book review. p. 743.

Monthly List of East European Accessions (EEAI) LC Vol. 8, No. 4  
April, 1959, Unclass

CIBOROWSKI, J.

POLAND/Chemical Technology, Chemical Products and Their  
Application, Part 3. - Food Industry.

H-28

Abs Jour: Referat. Zhurnal Khimiya, No 10, 1958, 34208.

Author : J. Ciborowski, B. Młodzinski, J. Rosztak, A. Selecki.

Inst : Not given.

Title : Drying in Suspended State.

Orig Pub: Przem. spożywczy, 1957, 11, 6, 247-253.

Abstract: A description of a drier and of rye drying experiments  
with a laboratory and a pilot-plant dryer is presented.  
The experiments confirmed the expediency of drying in  
suspended state.

Card : 1/1

F N D

29

TSIBOROVSKIY, Yanush [Ciborowski, Janusz], prof., doktor-inzh., laureat  
Gosudarstvennoy Premii; MASLYANKA, E. [translator]; PLISS, A.V.  
[translator]; ROMANKOV, P.G., prof., red.; KUROCHKINA, M.I., red.;  
ERLIKH, Ye.Ya., tekhn.red.

[Unit operations of chemical engineering] Protsessy khimicheskoi  
tekhnologii. Leningrad, Gos.nauchno-tekhn.izd-vo khim.lit-ry,  
1958. 932 p. (MIRA 12:12)

1. Varslavskiy politekhnicheskiy institut (for TSiborovskiy).  
(Chemical engineering)